

AZPDES FORM 2A APPLICATION

For Discharge from Wastewater Treatment Plants (WWTPs) Treating Domestic Sewage

NOTE: Complete all blanks; put 'N/A' where applicable. All applicants must also complete and submit AZPDES FORM 2S along with Form 2A. Please submit 3 copies of your completed application.

FAC	ILITY NAME									
	DES (NPDES) PERMIT NO									
PA	RT A. BASIC APPLICATION INFORMATION									
Con	nplete each section below.									
A.1	Facility Information.									
	Facility (plant) name County where located									
	Facility mailing address									
	Facility physical address									
A.2.	Facility Owner/Operator Information.									
	Facility owner									
	Owner's address									
	Contact person									
	Title Phone number									
	Facility operator									
	Operator's address									
	Contact person									
	TitlePhone number									
A.3	Landowner(s).									
	Name and address of owner of land where the WWTP is located (such as National Forest, State Land, Bureau of Land Management, private land):									
	Land owner									
	Owner's address									
	Name and address of owner(s) of land where the WWTP pipes flow to the outfall and the outfall discharges:									
	Land owner									
	Owner's address									

A.4.		son/Entity Preparing Appli ride the following:	cation. If the person	on/entity preparing the application	is different from the above,						
	Nan	ne									
	Con	tact person									
	Title Phone number										
	***		-	ce regarding this application shou act person) Person/entity pre							
A.5.	Existing Environmental Permits. Provide the permit number of any existing environmental permits that have been issued to the treatment works (include state issued permits).										
	AZP	PDES		UIC							
		(NPDES- include St	ormwater permits)	UIC (Underground injection	on control)						
	RCF	RA		PSD							
		(Hazardous waste)		PSD (Air emission from prop	osed sources)						
	APP			Reuse							
		(Aquifer Protection F	Permit)	Reuse							
	Othe	er (Specify)		_ Other (Specify)							
		-	An AZPDES appli	nsistent with the current 208 Regination can not be considered and infirmed by ADEQ.							
		Pending. Permitte	ee has contacted a	nd is working with Regional Planr	ning Board.						
A.7.	the i		h entity and, if know	ion on municipalities and areas so yn, provide information on the typo pal, private, etc.).							
	Nam	Pe Pe	opulation Served		Ownership						
	Tota	al population served									
A.8.	Indi	an Country.									
	a.	Is the treatment works loca	ated in Indian Cour	ntry? No Yes (Give nar	me)						
	b.			eiving water in Indian Country or t							
		eventually flows through) I	Indian Country?	No Yes							
			-								
				arge to Indian Country boundary							

Α.σ.		e facility located within 100 km (62 miles) of the Arizona-Mexico border? Yes No s, provide the following information:									
	A description of the area into which the effluent discharges from the facility may flow										
	2.	Is the discharge expected to cross the Arizona-Mexico border? Yes No									
A.10	<i>treat</i> flow	Indicate the design flow rate of the treatment plant (i.e., the wastewater flow rate that the plant was built to on a daily basis – not including peak flows). Also provide the average daily flow rate and the maximum daily rate for each of the last three years. Each year's data must be based on a 12 month time period with the 12th of "this year" occurring no more than three months prior to this application submittal.									
	a.	Design flow rate mgd <u>Two Years Ago</u> <u>Last Year</u> <u>This Year</u>									
	b.	Annual average daily influent flow rate mgd mgd mgdmgd									
	C.	Maximum daily influent flow rate mgd mgdmgd									
	d.	Describe how you measure (or estimate) flow:									
A. 11	. Disc	harges and Other Disposal Methods.									
	a.	List how many of each of the following types of discharge points the treatment works uses:									
		i. Discharges of treated effluent									
		ii. Discharges of untreated or partially treated effluent									
		iii. Combined sewer overflow points									
		iv. Constructed emergency overflows (prior to the headworks)									
		v. Other									
	b.	Does the treatment works discharge effluent to basins, ponds or other surface impoundments that do not have outlets for discharge to waters of the U.S.? Yes No									
		If yes, provide the following for each surface impoundment:									
		Location									
		How far is the impoundment from the closest water of the U.S?									
		Annual average daily volume discharged to surface impoundment(s) mgd									
		Is discharge continuous or intermittent or periodic (seasonal)?									
		If intermittent or periodic, provide the following information:									
		Number of times per year discharge occurs Average duration of each discharge									
		Average flow per discharge mgd Months in which discharge occurs									
	c.	Does the treatment works land apply (excluding direct reuse) treated wastewater? Yes No									
		If 'yes," provide the following for each land application site:									
		Location									
		Number of acres Annual average daily volume applied to site mgd									
		Frequency of application									

d	l.	Does the treatment works discharge or transport treated or untreated wastewater to another treatment works? Yes No
		If 'yes,' describe the means by which the wastewater from the treatment works is discharged or transported to the other treatment works (e.g., tank truck, pipe).
		If transport is by a party other than the applicant, provide the following:
		Transporter name
		Mailing address
		Contact person
		Title Phone number
		For each treatment works that receives this discharge, provide the following: Name
		Mailing address
		Contact person
		Title Phone number
		If known, provide the NPDES/AZPDES permit number of the treatment works that receives this discharge
e		Provide the average daily flow rate from the treatment works into the receiving facility mgd Does the treatment works discharge or dispose of its wastewater in a manner not included in A.8.a through
J		A.8.d above. (e.g., underground recharge, well injection)? Yes No
		If 'yes," provide the following for each disposal method:
		Description of method (including location and size of site(s) if applicable):
		Annual average daily volume disposed by this method mgd Frequency of disposal
WAST	EWA	TER OUTFALLS.
		age and complete Items A.12, and A.13 once for every outfall through which effluent is discharged, or is o be, discharged to a wash or other water of the U.S.
A.12. D)esci	ription of Outfall.
а	١.	Outfall number
b).	Location
		City or town County
		State Zip code
		Latitude ° " N Longitude ° " W
		Township Range Section
С	; .	Distance from shore, if applicable ft.

(d.	Depth below surface, if applicableft.	
(e.	Average daily discharge flow through outfall mgd. (Determine this by	
		dividing the annual discharge through the outfall by the number of days in a year that discharge occurs.)	
1	f.	Is/will discharge from this outfall be continuous or Intermittent/periodic?	
		If discharge is or is expected to be intermittent or periodic, describe the discharge pattern below. Include 1) the number of times per year the facility is expected to discharge under the terms of the AZPDES permit, 2) the frequency of discharge, 3) the average duration of each discharge, 4) the flow per period of discharge in MGD and 5) include the months over which discharge is typically expected. Estimations are acceptable for this information.	
			_
(g.	Is the outfall equipped designed to, or equipped with a device, to mix and/or disperse the effluent in the	
		receiving water? Yes No	
4.13.	Des	cription of Receiving Waters. (Fill in all blanks. Put 'not known' if applicable.)	
á	a.	Name of receiving waters	
ŀ	b.	Name of watershed, if known	
		U.S. Natural Resources Conservation Service 14 digit watershed code, if known	
(c.	Name of River Basin, if known	
(d.	United States Geological Survey 8 digit hydrologic cataloging unit code, if known	
(e.	Critical low flow of receiving stream, if applicable. acutecfs chroniccfs	
1	f.	Total hardness of receiving stream at critical low flow, if applicablemg/l of CaCO ₃	
4.14 .	Des	cription of WWTP Treatment.	
á	a.	What levels of treatment are provided? Check all that apply.	
		Primary Secondary Advanced (with filtration)	
		Other (Describe)	_
ı	b.	Indicate the following removal rates, as applicable:	
		Design BOD ₅ removal or design CBOD ₅ removal %	
		Design SS removal %	
		Design P removal %	
		Design N removal %	
		Other %	
		Other %	
(C.	What type of disinfection is used for the effluent? If disinfection varies by season, please describe.	
			_
			_
		If disinfection is by chlorination, is dechlorination used for this outfall? Yes No	

a.	Does the treatment plant have post aeration? Yes No
e.	Provide a topographic map extending at least one mile beyond property boundaries of the treatment plant that shows the location of the plant and the outfall(s). {Note Part B of this application requires additional detail on the map for facilities with a design flow >100,000 gpd.]
f	Provide a process flow diagram or schematic of the treatment plant and include a brief description. Depict

- f. Provide a process flow diagram or schematic of the treatment plant and include a brief description. Depict any areas where the sewage sludge produced by the treatment works is stored, treated or disposed of, if applicable. {Note Part B of this application requires additional process detail for facilities with a design flow >100,000 gpd.]
- **A.15. Effluent Testing.** All applicants are to provide effluent testing data for the following parameters if the **WWTP is operational**. Provide the effluent testing results for discharges from the facility or data from representative samples of the effluent if the facility is not yet discharging. For plants not yet constructed, provide an estimate based on the design or on similar plants and indicate 'estimated' in the Number of Samples column.

All information reported must be based on data analyzed using 40 CFR 136 methods for wastewater samples by a laboratory certified in Arizona to use those methods. If no 136 methods exist, any other method approved for analyses of the parameters in 9 A.A.C. 14, Article 6 may be used. In addition, all data must comply with QA/QC requirements per 40 CFR 136 and/or 9 A.A.C. 14, Article 6. **Note: Effluent data collected under the facility's aquifer protection or reuse permit is also required to be reported if it is representative of the effluent and meets these requirements.**

All effluent testing data collected over the last 4.5 years is to be included in the response. (If data was collected at a frequency of monthly or greater for any parameter, you are only required to summarize at least the last year.) If data can be tabulated and made available electronically, ADEQ requests submission in this format. **Laboratory sheets supporting any Table 3 and Table 4 data are also to be submitted.** If you are collecting data solely to support this application, a minimum of 3 sampling events must be submitted. You are to provide seasonally representative samples when possible.

If the facility may discharge through several outfalls and there are different treatment trains, different wastewater sources, or other sources of variation in the effluent from one outfall to another, you must provide data for each outfall.

⇒ IT IS IMPORTANT THAT YOU REPORT THE DATA USING THE CORRECT UNITS! PLEASE RE-CHECK THE UNITS THE LABORATORY REPORTED.

Indicate the timeframe covered by the following data _____

TABLE 1	MAXIMUM D	AILY VALUE	AVERAGE	AVERAGE DAILY VALUE				
PARAMETERS	Value	Units	Value	Units	Samples			
pH (minimum) *		s.u.						
pH (maximum)*		s.u.						
Flow Rate								
Temperature (OctMar.)								
Temperature (AprSep.)								
* For pH please report a minim	um and a maximum	n daily value.						

Indicate the timeframe covered by the following data _____

TABLE 2	MAXIM	UM DAIL	Y DISCH	ARGE	А	VERAGE	DAILY	DISCHA	RGE	LAB	Indicate highest
PARAMETERS	Conc.	Units	Mass	Units	Conc.	Units	Mass	Units	# of Samples	METHOD	detection levels
CONVENTIONAL & NO	NCONVEN	ITIONAL	COMPO	JNDS.							
AMMONIA (as N)											
BIOCHEMICAL OXYGEN											
DEMAND or CBOD, 5-Day											
CHLORINE, TOTAL RESIDUAL (TRC)											
DISSOLVED OXYGEN											
E-coli (Fecal coliform if not available)											
TOTAL SUSPENDED SOLIDS (TSS)											
TOTAL KJELDAHL NITROGEN (TKN)											
NITRATE PLUS NITRITE NITROGEN											
OIL and GREASE											
PHOSPHORUS (Total)											
TOTAL DISSOLVED SOLIDS (TDS)											

Indicate the timeframe covered by the following data _____

TABLE 3	MAXII	MUM DA	ILY DISC	HARGE		AVERAG	E DAILY	DISCHAR	LAB	Indicate highest	
POLLUTANTS	Conc.	Units	Mass	Units	Conc.	Units	Mass	Units	# of Samples	METHOD	detection levels
METALS (TOTAL RECOVERABLE), CYANIDE, PHENOLS AND HARDNESS											
ANTIMONY											
ARSENIC											
BERYLLIUM											
CADMIUM											
CHROMIUM											
CHROMIUM VI											
COPPER											
LEAD											
MERCURY											
NICKEL											
SELENIUM											

IIIAL	LIUM											
ZINC												
CYAN	NIDE											
	AL PHENOLIC POUNDS											
	ONESS (AS											
Ξ	Detail HOW to i.e., 8 sample	he sam	ples we	ere colle over 8	ected (i.e hours, 4	., manual samples	, automa taken o	atic sam ver 24 h	npler) and nours, etc.	composit):		
ΡΔΙ	RTR AF	ודוחמ	ONA	I INF	ORM	ATION	FOR '	\/\\\T	'Ps WIT	гн а п	FSIGN I	FI OW
PAI ⇒		REATE	R Th	IAN C	OR EQ	UAL TO	0.1	MGD	(100,0	000 gal	ESIGN I lons pe	r day)
⇒	GI All applicar through B.6	REATE outs with outs. All o	ER TH a desi thers g	IAN Congression flow to Paragraphic to Paragraphic Estima	OR EQ v rate gart C). te the av	UAL TO	O 0.1 an or education	MGD qual to	(100,0 0.1 mgd	000 gal	lons pe	r day)
⇒	All applicar through B.6	REATE outs with outs. All outs. outs.	a designation and a designation of the section of t	ign flov io to Pa Estima	or rate grant C). te the aver system,	UAL TO reater the erage num	an or ed	MGD qual to allons po gpd	(100,0 0.1 mgd er day that	000 gal	lons permplete Item	r day) ms B.1 t works
⇒	All applicar through B.6 Inflow and Infrom inflow ard Infiltration is as, but not limit	REATION SHAPE OF THE WATER OF T	a designation and designation and designation. The entering fective provides the entering of the entering and are connection.	ign flov ign flov into to Pa Estima g a sewe ipes, pipe into a set ea drains ns from s	or rate grant C). te the aver system, the joints, conver system, foundations seem seems.	erage num including sonnections, m, including on drains, overs and con-	an or ed an or ed onber of ga sewer serv or manho	MGD qual to allons po gpd vice connection ater disch	(100,0 0.1 mgd er day that ections, from Infiltration ans, from such parges, drain tech basins, s	flow into the ground does not in the sources and from spring from spring the sources are from spring the spring the sources are from spring the spring t	Ilons permplete Iteration the treatment of through sunctude, and is as, but not linings and swar	r day) ms B.1 t works uch means nited to, mpy areas,
⇒	All applicanthrough B.6 Inflow and Infrom inflow are Infiltration is as, but not limit distinguished filter foof leaders, comanhole covers	REATI of the with of All of offiltration	a desingular designation of the section of the sect	ign flow ign flow ign to Pa Estima g a sewe ipes, pipe into a sewe into a sewe	or rate grant C). Ite the aver system, se joints, conver system, foundating	erage num including sonnections, in, including on drains, covers and contains, and is distillation.	an or ed an or ed an or ed an or ed sewer serv or manho g service of cooling-wa mbined se tinguished	MGD qual to allons po gpd vice connection ater discheration in from, in	(100,0 0.1 mgd er day that ections, from Infiltration ans, from such arges, drain toch basins, s filtration.	flow into the does not in the sources and from spring storm water	Ilons permplete Item The treatment of, through sunctude, and is the individual of th	r day) ms B.1 t works uch means nited to, mpy areas,
⇒	All applicar through B.6 Inflow and Infrom inflow are Infiltration is as, but not limit distinguished fill Inflow is the aroof leaders, comanhole covers wash waters, or	REATE outs with outs wate outs	a designation and designation and designation. The rentering fective points of the po	Estima Estima g a sewer ipes, pipe into a ser ea drains ns from ser w does no	or rate grant C). Ite the aver system, se joints, conver system, foundations form sewer to include, from both	erage num including sonnections, in, including on drains, or errs and contains and is distinction	an or ed an or	MGD qual to allons po gpd vice connection be walls. connection ater discharges, can from, in	(100,0 0.1 mgd er day that ections, from Infiltration ans, from such that basins, s filtration.	flow into the does not in the sources and from spring storm water	Ilons permplete Item The treatment of, through sunctude, and is the individual of th	r day) ms B.1 t works uch means nited to, mpy areas,
⇒	All applicar through B.6 Inflow and Infrom inflow are Infiltration is as, but not limit distinguished fill Inflow is the word leaders, comanhole covers wash waters, or I & I means the Inflow is the word leaders, or wash waters, or I & I means the Inflow is the word leaders, or wash waters, or I & I means the Inflow is the word leaders, or wash waters, or I & I means the Inflow I means the I	REATE outs with outs wate outs	a designation and designation and designation. The rentering fective points of the po	Estima Estima g a sewer ipes, pipe into a ser ea drains ns from ser w does no	or rate grant C). Ite the aver system, se joints, conver system, foundations form sewer to include, from both	erage num including sonnections, in, including on drains, or errs and contains and is distinction	an or ed an or	MGD qual to allons po gpd vice connection be walls. connection ater discharges, can from, in	(100,0 0.1 mgd er day that ections, from Infiltration ans, from such that basins, s filtration.	flow into the does not in the sources and from spring storm water	Ilons permplete Item The treatment of, through sunctude, and is the individual of th	r day) ms B.1 t works uch means nited to, mpy areas,
⇒	All applicar through B.6 Inflow and Infrom inflow are Infiltration is as, but not limit distinguished fill Inflow is the word leaders, comanhole covers wash waters, or I & I means the Inflow is the word leaders, or wash waters, or I & I means the Inflow is the word leaders, or wash waters, or I & I means the Inflow is the word leaders, or wash waters, or I & I means the Inflow I means the I	REATE outs with outs wate outs	a designation and designation and designation. The rentering fective points of the po	Estima Estima g a sewer ipes, pipe into a ser ea drains ns from ser w does no	or rate grant C). Ite the aver system, se joints, conver system, foundations form sewer to include, from both	erage num including sonnections, in, including on drains, or errs and contains and is distinction	an or ed an or	MGD qual to allons po gpd vice connection be walls. connection ater discharges, can from, in	(100,0 0.1 mgd er day that ections, from Infiltration ans, from such that basins, s filtration.	flow into the does not in the sources and from spring storm water	Ilons permplete Item The treatment of, through sunctude, and is the individual of th	r day) ms B.1 t works uch means nited to, mpy areas,

SILVER

B.2. Detailed Topographic Map. Show the following on the topographic map submitted pursuant to Item A.14.e (You may submit more than one map if one map does not show the entire area.) The outline of the facility and the area surrounding the treatment plant, including all unit processes. a. b. The major pipes or other structures through which wastewater enters the treatment works and the pipes or other structures through which treated wastewater is discharged from the treatment plant. Include outfalls from bypass piping, if applicable. C. Each well where wastewater from the treatment plant is injected underground, if applicable. d. Wells, including drinking water wells, springs and other surface water bodies listed in public records or otherwise known to the applicant that are located within 1/4 mile of the discharge points or outfalls. If the treatment works receives waste that is classified as hazardous under the Resource Conservation and e. Recovery Act (RCRA) by truck, rail or dedicated pipe, show on the map where that hazardous waste enters the treatment works and where it is treated, stored and/or disposed. B.3. Detailed Process Flow Diagram or Schematic. Show the following on the process flow diagram or schematic of the treatment works submitted pursuant to Item A.14.f. a. All bypass piping b. All backup power sources or redundancy in the system. A water balance showing all treatment units, including disinfection (e.g., chlorination and dechlorination), daily c. average flow rates at influent and discharge points and approximate daily flow rates between treatment units. d. A brief narrative description of the diagram. Operation/Maintenance Performed by Contractor(s). Are any operational or maintenance aspects (other than those performed by the operator listed under Item A.2) of the treatment works the responsibility of a contractor? ____ Yes ____ No If yes, list the name, address and telephone number of each contractor and describe the contractor's responsibilities. Attach additional pages if necessary. Name _____ Mailing address _____ Telephone number Responsibilities of contractor _____ **B.5.** Scheduled Improvements and Schedules of Implementation. Provide a schedule on plans for implementing improvements that will affect the wastewater treatment, effluent quality or design capacity of the treatment works. If the treatment works has several different implementation schedules or is planning several improvements, submit separate responses to Item B.5 for each. List the outfall number (assigned in Item A.12) for each outfall that is covered by this implementation

Indicate whether the planned improvements or their implementation schedule are required by local, state or

a.

b.

schedule.

federal agencies. ____ Yes ____ No

agencies. Also provide any	actual dates of completion fo	lanned independently of local, r the implementation steps liste ace an (*) in front of the improv	ed below, as
0 0,	Sched	ule	
Implementation Stage	Planned or Imposed MM/DD/YYYY	Actual Completion MM/DD/YYYY	
- Begin construction			
- End construction			
- Begin discharge		·	
- Attain operational level		- 	

Briefly describe the improvements to be made for the outfall (s) listed in Item B.5.a and include new maximum

PART C. EFFLUENT CHARACTERIZATION TESTING for Organics

Effluent Characterization Testing: All applicants for a treatment works listed below (except those not yet constructed), must provide effluent testing data for the following parameters:

- 1. A design flow greater than or equal to 1.0 mgd
- 2. The treatment works has or is required to have, a pretreatment program
- 3. The treatment works is or was required to collect such data under a prior NPDES or AZPDES permit, or
- 4. The treatment works have the results of such testing due to requirements under an Aquifer Protection Permit.

Provide the effluent testing results for discharges from the facility or representative samples of the effluent if the facility is not yet discharging. If data can be tabulated and made available electronically, ADEQ requests submission in this format.

All information reported must be based on data analyzed using 40 CFR 136 methods for wastewater samples by a laboratory certified in Arizona to use those methods. In addition, this data must comply with QA/QC requirements per 9 A.A.C. 14, Article 6 and other appropriate QA/QC requirements for standard methods for analytes not addressed by 9 A.A.C. 14, Article 6. Effluent testing data collected over the last 4.5 years is to be included in the response. If data can be tabulated and made available electronically, ADEQ requests submission in this format. If you are collecting data solely to support this application, a minimum of 3 sampling events must be submitted. You are to provide seasonally representative samples when possible.

If the facility may discharge through several outfalls and there is a different treatment train, different wastewater sources, or other reason for potential variation in the effluent from one outfall to another, you must provide data for each outfall.

TABLE 4	I		JM DAIL HARGE	.Υ		AVERA	GE DAIL	LAB	Indicate highest		
POLLUTANTS	Conc.	Units	Mass	Units	Conc.	Units	Mass	Units	# of Samples	METHOD	detection levels
VOLATILE ORGANIC COM	MPOUN	DS									
ACROLEIN											
ACRYLONTRILE											
BENZENE											
BROMOFORM											
CARBON TETRACHLORIDE											
CHLOROBENZENE											
CHLORODIBROMO-METHANE											
CHLOROETHANE											
2-CHLORO-ETHYLVINYL ETHER											
CHLOROFORM											
DICHLOROBROMO-METHANE											
1,1-DICHLOROETHANE											
1,2-DICHLRORETHANE											
TRANS-1,2- DICHLOROETHYLENE											
1,1-DICHLOROETHYLENE											
1,2-DICHLOROPROPANE											
1,3-DICHLOROPROPYLENE											
ETHYLBENZENE											
METHYL BROMIDE											
METHYL CHLORIDE											
METHYLENE CHLORIDE											
1,1,2,2-TETRACHLOROETHANE											
TETRACHLORO-ETHYLENE											
TOLUENE											
1,1,1-TRICHLOROETHANE											
1,1,2-TRICHLOROETHANE											
TRICHLOROETHYLENE											
VINYL CHLORIDE											

TABLE 4	ı	MAXIMUM DAILY DISCHARGE			AVERAGE DAILY DISCHARGE				LAB	Indicate highest	
POLLUTANTS	Conc.	Units	Mass	Units	Conc.	Units	Mass	Units	# of Samples	METHOD	detection levels
P-CHLORO-M-CRESOL											
2-CHLOROPHENOL											
2,4-DICHLOROPHENOL											
2,4-DIMETHYLPHENOL											
4,6-DINITRO-O-CRESOL											
2,4-DINITROPHENOL											
2-NITROPHENOL											
4-NITROPHENOL											
PENTACHLOROPHENOL											
PHENOL											
2,4,6-TRICHLOROPHENOL											
ACENAPHTHENE											
ACENAPHTHYLENE											
ANTHRACENE											
BENZIDINE											
BENZO(A)ANTHRACENE											
BENZO(A)PYRENE											
3,4-BENZOFLUORANTHENE											
BENZO(GHI)PERYLENE											
BENZO(K)FLUORANTHENE											
BIS(2-CHLOROETHOXY) METHANE											
BIS(2-CHLOROETHYL) ETHER											
BIS (2-CHLOROISO-PROPYL) ETHER											
BIS(2-ETHYLHEXYL) PHTHALATE											
4-BROMOPHENYL PHENYL ETHER											
BUTYL BENZYL PHTHALATE											
2-CHLORONAPHTHALENE											
4-CHLOROPHENYL PHENYL ETHER											
CHRYSENE											

TABLE 4	MAXIMUM DAILY DISCHARGE			AVERAGE DAILY DISCHARGE				LAB	Indicate highest		
POLLUTANTS	Conc.	Units	Mass	Units	Conc.	Units	Mass	Units	# of Samples	METHOD	detection levels
DI-N-BUTYL PHTHALATE											
DI-N-OCTYL PHTHALATE											
DIBENZO(A,H) ANTHRACENE											
1,2-DICHLOROBENZENE											
1,3-DICHLOROBENZENE											
1,4-DICHLOROBENZENE											
3,3-DICHLOROBENZIDINE											
DIETHYL PHTHALATE											
DIMETHYL PHTHALATE											
2,4 -DINITROTOLUENE											
2,6-DINITROTOLUENE											
1,2- DIPHENYLHYDRAZINE											
FLUORANTHENE											
FLUORENE											
HEXACHLOROBENZENE											
HEXACHLOROBUTADIENE											
HEXACHLOROCYCLO- PENTADIENE											
HEXACHLOROETHANE											
INDENO(1,2,3-CD) PYRENE											
ISOPHORONE											
NAPHTHALENE											
NITROBENZENE											
N-NITROSODI-N-PROPYLAMINE											
N-NITROSODI-METHYLAMINE											
N-NITROSODI-PHENYLAMINE											
PHENANTHRENE											
PYRENE											
1,2,4-TRICHLOROBENZENE										_	

Part D. Expanded Effluent Testing Data

⇒ PER R18-9-A905 and 40 CFR 122.21(j) (4)(iv), YOU ARE ALSO TO TEST YOUR EFFLUENT FOR ANY OTHER SURFACE WATER QUALITY STANDARD APPLICABLE TO YOUR RECEIVING WATER AS INDICATED IN AAC 18-11, ARTICLE 1. PLEASE ATTACH THIS DATA TO YOUR APPLICATION.

PART E. TOXICITY TESTING DATA

E.1. Number of Tests.

- **E. Toxicity Testing**. All applicants for a treatment works (except those not yet constructed), must provide the results of whole effluent toxicity (WET) tests for acute and/or chronic toxicity for each of the facility's discharge points.
 - 1. A design flow greater than or equal to 1.0 mgd,
 - 2. The treatment works has or is required to have, a pretreatment program, or
 - 3. The treatment works is or was required to collect such data under a current AZPDES or AZPDES permit.
 - ⇒ Applicants completing Part E must submit **ALL** WET data acquired during the past 4.5 years. For facilities with a design flow greater than or equal to 1.0 MGD or that have been designated as a "Major" by the permitting authority, these results must include at least four (4) quarterly tests for a 12-month period within the past 1 year, or the results from four (4) tests performed at least annually in the four and one-half years prior to the application. All WET tests conducted must use multiple species (2 species for acute and 3 species for chronic) unless otherwise specified in an active AZPDES permit. All information reported must be based on data collected through analyses conducted by a laboratory licensed by ADHS to conduct WET testing using 40 CFR 136 methods for wastewater samples. In addition, this data must comply with QA/QC requirements of 9 A.A.C. 14, Article 6 and other appropriate QA/QC requirements for standard methods for analytes not addressed by 9 A.A.C. 14, Article 6.
 - ⇒ If a WET test conducted during the past four and one-half years revealed toxicity, provide any information on the cause of the toxicity or any results of a toxicity reduction evaluation, if one was conducted.

	Indicate the number of whole effluent toxicity tests conducted in the past four and one-half years.
	chronic acute
F2	Individual Test Data. Complete the following chart for each whole effluent toxicity test conducted in the last four
	and one-half years for which the applicant has not previously submitted a full WET report to ADEQ. Complete one
	column for each species that was used in the test. (A single WET 'test' consists of 2-3 species). Copy and

complete the following table for each WET test performed. In lieu of completing this chart for WET reports

previously not submitted, the applicant may opt to submit full WET reports with this application.

		WET TEST NUMBER	·
Test species and Test Method Number			
a. Test information.			
Outfall number (or indicate other representative location where sample was collected)			
Date and time sample collected			
Date and time test started			
Date and time test ended			
Manual title			
Edition number and year of publication			
b. Give the sample collection samples used. For composite			
x-hour composite / Grab			
c. Indicate where the sample	was taken in relation to dis	sinfection. Check all that a	pply for each.
Before disinfection			
After disinfection			
After dechlorination			
Was the effluent sample dechlorinated at the lab?			
d. Describe the point in the tr	reatment process at which	the sample was collected.	

e. Indicate whether the test was intended to assess chronic toxicity, acute toxicity or both.							
Chronic / Acute / or Both							
f. Indicate the type of test performed.							
Static / Static-renewal / Flow-through							
g. Source of dilution water. I	f laboratory water, specify	type; if receiving water, sp	ecify source.				
Laboratory water /Receiving water							
h. Give the dilution series used.							
i. Parameters measured durin	ng the test. State whether	parameter meets test meth	od specifications.				
Ph							
Salinity							
Temperature							
Ammonia							
Dissolved oxygen							
j. Test results.							
Acute:							
Percent test species survival in 100% effluent							
LC ₅₀							
95% Confidence Interval.							
Control percent survival							
Significant difference from control?							
Chronic:							
Survival NOEC							
Growth/ reproduction NOEC							
Survival IC ₂₅							
Growth/ reproduction IC ₂₅							
Control percent survival							

% bio	ostimulatory effect (algae)			
	uality Control/Quality Irance.			
	reference toxicant test within otable bounds?			
What	date was reference toxicant			
Did e	un (WW/DD/YYYY)? Iffluent samples arrive at the etween 0 - 6°C?			
	all test acceptability criteria			
	he effluent test PMSD			
	Iditional Controls / Test ations			
norm pH c	ribe any deviations from al testing conditions such as ontrol, ammonia removal, lorination.			
E.3	•		s involved in a Toxicity Redu	
E.4	information regarding the the results for each WET r	cause of toxicity to ADEQ wit report previously submitted. s, test methods used, species	Each WET test summary sho	WET test information or If years, provide a summary of buld include the outfall #, sample All endpoints given in the WET
	Date(s) submitted			(MM/DD/YYYY)
	Summary of results (see in	nstructions). You may wish to	attach a separate table sum	nmarizing your test results:
PAF	RT F. INDUSTRI Remedial		RGES & Wastes fro	om
fr				ks accept process wastewater ation wastes (including WQARF
	Yes No. If '	yes,' complete the rest of Pa	rt E. If 'no,' skip to Part F.	

An SIU is defined as:

- An industrial user subject to Categorical Pretreatment Standards under 40 Code of Federal Regulations (CFR) Part 403.6 and 40 CFR Chapter I, Subchapter N (see instructions); and
- 2. Any other industrial user that:
 - a. Discharges an average of 25,000 gallons per day or more of process wastewater to the treatment works (excluding sanitary, non-contact cooling and boiler blowdown wastewater); or
 - b. Contributes a process wastestream that makes up 5 percent or more of the average dry weather hydraulic or organic capacity of the treatment works; or
 - c. Is designated as an SIU by the control authority as defined in 40 CFR Part 403.12(a).

F.2.	Pret	treatment Program. Does the treatment works have or is it subject to, an approved pretreatment program?
		_ Yes No
F.3.		nber of Significant Industrial Users (SIUs). Provide the number of each of the following types of SIUs that harge to the treatment works.
	a.	Number of non-categorical SIUs
	b.	Number of categorical SIUs
	C.	Total number of SIUs
		e following information for each SIU. If more than one SIU discharges to the treatment works, copy E.3 through E.9 and provide the information required for each SIU.
F.4.		nificant Industrial User Information. Provide the name and address of each SIU discharging to the treatments. Submit additional pages as necessary.
	Nam	ne
	Mail	ing address
F.5.	Indu	ustrial Processes. Describe all of the industrial processes that affect or contribute to the SIU's discharge.
F.6.		cipal Product(s) and Raw Material(s). List principal products that the SIU generates and the raw materials d to manufacture them.
	Prin	cipal product(s)
	Raw	v material(s)
F.7.	Flov	w Rate.
	a.	Process wastewater flow rate. Indicate the average daily volume of process wastewater discharged into the
		collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent gpd (continuous or intermittent)
	b.	Non-process wastewater flow rate. Indicate the average daily volume of non-process wastewater flow
		discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or
		intermittent gpd (continuous or intermittent)

F.8.	Pret	reatment Standards. Indicate whether	the SIU is sub	ject to the following:	
	a.	Local limits	Yes	No	
	b.	Categorical pretreatment standards _	Yes	No	
		If subject to categorical pretreatment s	standards, whic	ch category and subcateg	gory?
F.9.	or co	blems at the Treatment Works Attribution on tributed to any problems (e.g., upsets	s, interference)	at the treatment works in	the past three years?
		Yes No If 'yes," describe ea	ch episode:		
F.10.		RA Waste. Does the treatment works reste by truck, rail or dedicated pipe?	ceive or has it i	n the past three years, re	eceived RCRA Hazardous
		Yes No (if 'no,' go to	F.12)		
F.11.	Was	ste Transport. Method by which R	CRA waste is r	eceived. Check all that a	apply.
		Truck Rail	D	edicated Pipe	
F.12.	Was	ste Description. Give EPA hazardous v	vaste number a	and amount (volume or m	nass, specify units).
		EPA Hazardous Waste Number	Amoun	t Units	
F.13.	was	nediation Waste. Does the treatment waste from CERCLA (SUPERFUND) waste tewater or OTHER REMEDIAL activiti	ewater, RCRA		
		Yes (complete E.13 through F.15)	No		
Prov	ide a	list of sites and the required informa	ation (E.14 - E	E.16) for each <u>current a</u>	and future site.
F.14.	Was	ste Origin. Describe the site and type o	f facility at whice	ch the CERCLA/RCRA/or	other remedial waste originates
	(or is	s expected to originate in the next five y	ears). Also, pro	ovide the EPA identification	on number if one exists.
F.15.		utants. List the hazardous constituents me and concentration, if known. Attach			eceived). Include data on

a. Is this waste treated (or will it be treated) prior to entering the treatment works? YesNo If 'yes,' describe the treatment (provide information about the removal efficiency):	
b. Is the discharge (or will the discharge be) continuous or intermittent? Continuous Intermittent If intermittent, describe discharge schedule PART G. COMBINED SEWER SYSTEMS G. Does the treatment works have a combined sewer system? Yes No If 'no' skip to Part G. G.1. System Map. Provide a map indicating the following (may be included with Basic Application Information) a. All CSO discharge points. b. Sensitive use areas potentially affected by CSOs (e.g., beaches, drinking water supplies, shellfish be sensitive aquatic ecosystems and outstanding natural resource waters). c. Waters that support threatened and endangered species potentially affected by CSOs.	
b. Is the discharge (or will the discharge be) continuous or intermittent? Continuous Intermittent If intermittent, describe discharge schedule PART G. COMBINED SEWER SYSTEMS G. Does the treatment works have a combined sewer system? Yes No If 'no' skip to Part G. G.1. System Map. Provide a map indicating the following (may be included with Basic Application Information) a. All CSO discharge points. b. Sensitive use areas potentially affected by CSOs (e.g., beaches, drinking water supplies, shellfish be sensitive aquatic ecosystems and outstanding natural resource waters). c. Waters that support threatened and endangered species potentially affected by CSOs.	
b. Is the discharge (or will the discharge be) continuous or intermittent? Continuous Intermittent If intermittent, describe discharge schedule PART G. COMBINED SEWER SYSTEMS G. Does the treatment works have a combined sewer system? Yes No If 'no' skip to Part G. G.1. System Map. Provide a map indicating the following (may be included with Basic Application Information) a. All CSO discharge points. b. Sensitive use areas potentially affected by CSOs (e.g., beaches, drinking water supplies, shellfish be sensitive aquatic ecosystems and outstanding natural resource waters). c. Waters that support threatened and endangered species potentially affected by CSOs.	
PART G. COMBINED SEWER SYSTEMS G. Does the treatment works have a combined sewer system? Yes No If 'no' skip to Part G. G.1. System Map. Provide a map indicating the following (may be included with Basic Application Information) a. All CSO discharge points. b. Sensitive use areas potentially affected by CSOs (e.g., beaches, drinking water supplies, shellfish be sensitive aquatic ecosystems and outstanding natural resource waters). c. Waters that support threatened and endangered species potentially affected by CSOs.	
PART G. COMBINED SEWER SYSTEMS G. Does the treatment works have a combined sewer system? Yes No If 'no' skip to Part G. G.1. System Map. Provide a map indicating the following (may be included with Basic Application Information) a. All CSO discharge points. b. Sensitive use areas potentially affected by CSOs (e.g., beaches, drinking water supplies, shellfish be sensitive aquatic ecosystems and outstanding natural resource waters). c. Waters that support threatened and endangered species potentially affected by CSOs.	
 G. Does the treatment works have a combined sewer system? Yes No If 'no' skip to Part G. G.1. System Map. Provide a map indicating the following (may be included with Basic Application Information) a. All CSO discharge points. b. Sensitive use areas potentially affected by CSOs (e.g., beaches, drinking water supplies, shellfish be sensitive aquatic ecosystems and outstanding natural resource waters). c. Waters that support threatened and endangered species potentially affected by CSOs. 	
 G.1. System Map. Provide a map indicating the following (may be included with Basic Application Information) a. All CSO discharge points. b. Sensitive use areas potentially affected by CSOs (e.g., beaches, drinking water supplies, shellfish be sensitive aquatic ecosystems and outstanding natural resource waters). c. Waters that support threatened and endangered species potentially affected by CSOs. 	
 a. All CSO discharge points. b. Sensitive use areas potentially affected by CSOs (e.g., beaches, drinking water supplies, shellfish be sensitive aquatic ecosystems and outstanding natural resource waters). c. Waters that support threatened and endangered species potentially affected by CSOs. 	
 b. Sensitive use areas potentially affected by CSOs (e.g., beaches, drinking water supplies, shellfish be sensitive aquatic ecosystems and outstanding natural resource waters). c. Waters that support threatened and endangered species potentially affected by CSOs. 	
c. Waters that support threatened and endangered species potentially affected by CSOs.	
	ds,
G.2. System Diagram. Provide a diagram, either in the map provided in F.1 or on a separate drawing, of the c sewer collection system that includes the following information:	mbine
a. Locations of major sewer trunk lines, both combined and separate sanitary.	
b. Locations of points where separate sanitary sewers feed into the combined sewer system.	
c. Locations of in-line and off-line storage structures.	
d. Locations of flow-regulating devices, and pump stations.	
CSO OUTFALLS- Complete questions F.3 through F.6 once for each CSO discharge point.	
G.3. Description of Outfall.	
a. Outfall number	
b. Location	
City/County	
State/Zip Code	
Latitude° ' " N Longitude° ' " W	
c. Distance from shore, if applicable ft.	
d. Depth below surface, if applicable ft.	
e. Which of the following were monitored during the last year for this CSO?	
Rainfall CSO pollutant concentrations CSO frequency CSO flow volume Receiving water quality	

	f.	How many storm events were monitored during the	ne last year?		
G.4.	CS	SO Events			
	a.	Give the number of CSO events in the last year.	events (actual or	approximate)
	b.	Give the average duration per CSO event	hours (_actual or	approximate)
	c.	Give the average volume per CSO event.	_ million gallons (_	actual or _	approximate)
	d.	Give the minimum rainfall that caused a CSO eve	ent in the last year.	ir	nches of rainfall.
G.5.	Des	cription of Receiving Waters.			
	a.	Name of receiving waters			
	b.	Name of watershed			
		U.S. NRCS 14-digit watershed code, if known:			
	c.	Name of River Basin			
appli certi attac	cation fication hmen	nts must complete the Certification. Federal Regular may not be signed by a consultant. Refer to instruct. By signing this certification statement, applicant its for accuracy, and have completed all parts that a	uctions to determ is confirm that they apply to the facility.	i ne who is au have reviewe	thorized to sign this
ALL	APPL	LICANTS MUST COMPLETE THE FOLLOWING C	ERTIFICATION		
	acco subn for ga am a	tify under penalty of law that this document and all attach ordance with a system designed to assure that qualified po- mitted. Based on my inquiry of the person or persons who athering the information, the information is, to the best of hware that there are significant penalties for submitting fac- tisonment for knowing violations.	ersonnel properly ga o manage the systen my knowledge and l	ther and evalua n or those perso belief, true, accu	te the information ns directly responsible ırate and complete. I
	Nam	ne and Official Title			
	Sign	nature		Date Signe	ed
	Tele	phone Number			
Ξ		pon request of the ADEQ, you must submit any eatment practices at the treatment works to ider			
_	→ p	DEMEMBER TO ALSO SURMIT AS ARRIVARIE			
=		REMEMBER TO ALSO SUBMIT AS APPLICABLE. Form 2S (all facilities) Anti-degradation information	☐ Photodocumer		, ambient monitoring, or special conditions in your